



General Notes

- A. THESE ARE TYPICAL SITE DETAILS. ALL PROJECT SPECIFIC INFORMATION NEEDS TO BE COORDINATED WITH THE G.C., CIVIL ENGINEER, OWNER AND THE SOILS INVESTIGATION REPORT.
- B. THE MENU BOARD AND CANOPY POSTS DETAILS ARE FOR REFERENCE ONLY. SIGNAGE VENDOR SHALL PROVIDE SHOP DRAWINGS AND MAKE THEIR OWN PERMIT SUBMITTAL.
- C. FOUNDATION INFORMATION SHOWN IN DETAILS IS FOR REFERENCE ONLY. G.C. TO COORDINATE FINAL SIZE WITH SIGNAGE VENDOR AND ENGINEER OF RECORD.

Outdoor Drive-Thru Menu System

NOTE: MENU BOARD SUPPLIED BY OWNER, ASSEMBLED AND INSTALLED BY G.C.

BOARD SPECIFICATIONS:

OVERALL LIGHT BOX SIZE:	21-1/8"W X 8.50"D X 49-1/4"H
OVERALL SIZE WITH BASE:	18-7/8"W (BASE) X 7"D X 72"H
SHIPPING WEIGHT:	65 LBS. (PREVIEW BOARD) 23 LBS. / 11 LBS (POLE MOUNT/BASE FOR POLE) 15 LBS. (BRACKET MOUNT)

SYSTEM BASICS:

1. THE SYSTEM IS COMPRISED OF ONE LIGHT BOX WITH THE OPTION OF MOUNTING IT THREE DIFFERENT WAYS. IT CAN BE MOUNTED AS A FREESTANDING PREVIEW BOARD WITH OPTIONAL PEDESTAL BASE AS AN APPENDAGE PREVIEW BOARD WITH AVAILABLE HARDWARE OR AS A WALL MOUNTED PREVIEW BOARD.
2. EACH SYSTEM IS DESIGNED FOR EASY TRANS-LITE REMOVAL USING TWO SEPARATE DOORS. THE PANEL OPTIONS, (TWO MINI TRANSPARENCIES OR ONE LARGE TRANSPARENCY PANEL) LIFT AND DROP INTO THE CABINET WITH EASE.
3. TRANS-LITE SIZES: FULL TRANS-LITE IS 15.75"W X 21.81"H
MINI TRANS-LITE IS 15.50"W X 10.50"W

ELECTRICAL INFORMATION:

THE SYSTEM IS POWERED BY 110 VOLTS, 60 HERTZ ON A BASIC 15 AMP CIRCUIT. BALAST REPLACEMENT: (1) POWER LIGHTING #8G3900W RAPID START 800MA 1.6 AMPS LAMP REPLACEMENT: (2) F42T12/D/HO/42- 55 WATT FLUORESCENT

BASIC CONSTRUCTION:

LIGHT BOX:	ROTO MOLDED POLYETHYLENE ENCLOSURE
DOOR:	FORMED SHEET METAL POWDER PAINTED, HINGED DOWN ENTIRE LENGTH. WINDOWS ARE NON-GLARE ACRYLIC 1/8" THICK WITH ALLEN WRENCH MOUNTED SCREWS.
MENU PANEL:	FABRICATED HEAT AND LIGHT RESISTANT ACRYLIC PLASTIC
DOOR:	ROTO-MOLDED POLYETHYLENE BASE

SEE MANUFACTURER'S INSTALLATION INSTRUCTIONS (BY HOWARD COMPANY, INC.)
(ALTERNATE BY VISUAL GRAPHICS SYSTEMS INC.)